

Nelson County Health Center

FOOD SERVICE ESTABLISHMENT INSPECTIONS

The rating score of the establishment is determined by subtracting weighted point values of noted violations from 100 (one hundred). Unannounced inspections observe the overall operation including food source and protection; personnel; food equipment and utensils; maintenance of water and sewage systems; garbage and refuse disposal; insect, rodent and animal control; and storage of toxic items, among others. Critical violations, 4 (four) and 5 (five) points in weight, are items which if uncorrected carry the potential to be an imminent threat to the public's health. These items must be corrected in a time designated by the health department not to exceed 10 (ten) days.

Facility name: Woodlawn Springs Golf club **Score:** 82 f/u 100
Facility address: 103 Woodhill Drive, Bardstown, KY 40004
Date of inspection: 8/24/2010
Inspection type: Regular

Violations:

*deli meat opened today not date marked (corrected); thermometer missing in reach in cooler; *person in charge does not demonstrate food safety knowledge; no chemical test strips; *proper sanitization process not being followed; wiping cloths lying around; no sign over hand sink. No cover on waste receptacles in stalls of women's room. Follow up inspection; 10/08/10; 100: all violations corrected.

Facility name: Colonial Nursing Home **Score:** 99
Facility address: 708 Bartley Avenue, Bardstown, KY 40004
Date of inspection: 10/12/2010
Inspection type: Regular

Violations:

Metal/ cleanable wall coating needed at dish machine- peeling paint.

Facility name: Hardees **Score:** 96
Facility address: 707 N. 3rd Street, Bardstown, KY 40004
Date of inspection: 10/12/2010
Inspection type: Regular

Violations:

Utensils at ice/ drive thru incorrectly stored; build up over fryers, some build up in ice machine in storage area; floors unclean and in poor repair at the fryer area. Walk in cooler floor has some build up and uncleanable areas. Mop sink area missing floor wall strip- hard to clean areas.

Facility name: Dairy Queen **Score:** 92 f/u 97
Facility address: 1200 E. John Rowan, Bardstown, KY 40004
Date of inspection: 10/12/2010
Inspection type: Regular

Violations:

*Hot hold items not correct temperatures at grill area (corrected immediately); cutting board at prep area not cleanable, can opener unclear with product; wiping cloths not used correctly; some build up around grill wall.

Facility name: Eduplay Child Care **Score:** 100
Facility address: 932 Bloomfield Road, Bardstown, KY 40004
Date of inspection: 10/12/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Mammy's Kitchen **Score:** 94 f/u 98
Facility address: 114 N. 3rd Street, Bardstown, KY 40004
Date of inspection: 10/13/2010
Inspection type: Regular
Violations:
*Incorrect cooling procedures, additional dating needed. Product disposed of.; extra dish drying area needed. Immediate follow up; 98.

Facility name: Rincon Mexicano Restaurant **Score:** 90 f/u 99
Facility address: 204 N. 3rd Street, Bardstown, KY 40004
Date of inspection: 10/13/2010
Inspection type: Regular
Violations:
*Incorrect date marking of prepared items. (corrected immediately) *prep items not correctly preheated, prep items at incorrect cold hold(corrected immediately); wiping cloths incorrectly stored. Immediate follow up; 99.

Facility name: Dominos Pizza **Score:** 100
Facility address: 701 N. 3rd Street, Bardstown, KY 40004
Date of inspection: 10/13/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Hometown Pizza **Score:** 88 f/u 93
Facility address: 109 Blakenrod, Cox's Creek, KY 40013
Date of inspection: 10/14/2010
Inspection type: Regular

Violations:

Container with no handle used to scoop potato sticks; *personal drinks stored on or above prep surfaces. No lids on some personal drinks (corrected immediately); no test strips for dish machine; bar gun holder is not clean; no paper towels at kitchen prep hand sink or bar.

Facility name: Flaget Hospital **Score:** 99
Facility address: 4305 New Shepherdsville Road, Bardstown, KY 40004
Date of inspection: 10/14/2010
Inspection type: Regular

Violations:

Splash shield on large mixer is not clean.

Facility name: Little Angels Primary House **Score:** 99
Facility address: 820 Pennsylvania Avenue, Bardstown, KY 40004
Date of inspection: 10/14/2010
Inspection type: Regular

Violations:

No test strips available for sani-tub sanitizer.

Facility name: Hampton Inn **Score:** 98
Facility address: 985 Chambers Blvd, Bardstown, KY 40004
Date of inspection: 10/14/2010
Inspection type: Regular

Violations:

Cabinet under 3 compartment sink in kitchen and juice nozzle/splash area not clean; drain leaking in 3 compartment sink.

Facility name: Olde Delaney's Grocery- Food Service **Score:** 98
Facility address: 1467 N. 3rd Street, Bardstown, KY 40004
Date of inspection: 10/15/2010
Inspection type: Regular

Violations:

No thermometer visible in the freezer.

Facility name: Olde Delaney's Grocery- Retail
Facility address: 1467 N. 3rd Street, Bardstown, KY 40004
Date of inspection: 10/15/2010
Inspection type: Regular

Score:

100

Violations:

No noted violations.

Facility name: Bardstown United Methodist
Facility address: 116 E. Flaget, Bardstown, KY 40004
Date of inspection: 10/15/2010
Inspection type: Regular

Score:

99

Violations:

Inside top of microwave is not clean.

Facility name: C & C Country Cooking
Facility address: 102 Flamingo Road, Bardstown, KY 40004
Date of inspection: 10/15/2010
Inspection type: Regular

Score:

97

Violations:

Test kit for chlorine is missing color chart; leak in drain line under hand washing sink.

Facility name: The Palms
Facility address: 1008 Commerce Blvd, Bardstown, KY 40004
Date of inspection: 10/15/2010
Inspection type: Regular

Score:

90

 f/u 94

Violations:

*all potentially hazardous, ready to eat products are not date marked. (corrected immediately); ice scoop at bar and scoop in sugar not stored properly; no test strips available for sanitizer; shelving and surfaces in kitchen and storage areas not easily cleanable. Immediate follow up inspection: 94.

Facility name: Cull's Catering **Score:**

98

Facility address: 1038 Old Tunnell Mill Road, Bloomfield, KY 40008
Date of inspection: 10/22/2010
Inspection type: Regular
Violations:
No hand sink sign at hand sink or paper towel holder.

Facility name: Asian Gardens **Score:**

99

Facility address: Old Kentucky Home Square, Bardstown, KY 40004
Date of inspection: 10/20/2010
Inspection type: Regular
Violations:
Some cutting surfaces need to be replaced or resurfaced.

Facility name: Hurst Drug Store **Score:**

100

Facility address: 102 N 3rd. Street, Bardstown, KY 40004
Date of inspection: 10/20/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Abraham Lincoln Post #167 **Score:**

100

Facility address: 202 Downs Lane, Bardstown, KY 40004
Date of inspection: 10/20/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: American Legion Post #288 **Score:**

98

Facility address: 243 Lawrenceburg Road, Bloomfield, KY 40008
Date of inspection: 10/20/2010

Inspection type: Regular

Violations:

Hand sink sign needed.

Facility name: Kentucky Fried Chicken

Score: 92 f/u 96

Facility address: 816 N. 3rd Street, Bardstown, KY 40004

Date of inspection: 10/19/2010

Inspection type: Regular

Violations:

Inside and outside of some equipment unclean; *inside cooler not sanitized (corrected immediately); ice build up in back freezer; floors unclean around baseboards and under equipment; walls and ceiling have dust or splatter. Immediate follow up: 96.

Facility name: Subway

Score: 97

Facility address: 458 E. Stephen Foster, Bardstown, KY 40004

Date of inspection: 10/21/2010

Inspection type: Regular

Violations:

No hand wash signs at hand sinks; floors under shelving has debris.

Facility name: Subway

Score: 99

Facility address: 3795 W. John Rowan, Bardstown, KY 40004

Date of inspection: 10/21/2010

Inspection type: Regular

Violations:

Portable fan has dust build up; around ice shoot has some build up.

Facility name: The Old Stable Restaurant and Tavern

Score: 87 f/u 100

Facility address: 116 W. Stephen Foster, Bardstown, KY 40004

Date of inspection: 10/7/2010

Inspection type: Regular

Violations:

Walk-in cooler not capable of holding temperature evenly; raw product stored incorrectly in one walk-in cooler; *ice machine has build-up; dirty dishes and clean dishes stored in close proximity. Knife in sanitizing solution not being properly washed/rinsed/sanitized; dumpster area unclean, dumpster lids open; some exposed

insulation on one wall; mop buckets and mops stored in beverage prepare area. Follow up food service inspection; 10/19/2010; 100. All violations corrected.

Facility name: Maywood Golf Club **Score:** 99
Facility address: 130 Maywood Avenue, Bardstown, KY 40004
Date of inspection: 9/21/2010
Inspection type: Regular
Violations:
Many cutting surfaces need to be replaced.

Facility name: Burger King **Score:** 98
Facility address: 98 W. John Rowan, Bardstown, KY 40004
Date of inspection: 10/25/2010
Inspection type: Regular
Violations:
Sanitizer too high.

Facility name: Rattlesnake Hill Farm **Score:** 100
Facility address: 5171 Hwy 1066, Bloomfield, KY 40008
Date of inspection: 10/26/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Loving Care Day Care **Score:** 91 f/u 100
Facility address: 10745 New Haven Road, Bardstown, KY 40004
Date of inspection: 8/25/2010
Inspection type: Regular
Violations:

*cut up fruit not properly date marked; *employee reporting health plan in writing needed. Follow up food service inspection rating; 10/27/10: 100. All violations corrected.

Facility name: Smith's Bar and Grill **Score:** 91 f/u 95
Facility address: 8375 New Haven Road, New Haven, KY 40051

Date of inspection: 8/25/2010

Inspection type: Regular

Violations:

Ice build up in freezer. Some plywood shelves in cabinets not smooth easily cleanable. Outside of equipment unclean; *refrigerator and microwave not cleaned on proper schedule; no sign at hand sink. Paper towel and soap needed at hand sink; heavy build up beneath fryer; wall behind sink has splash. Follow up food service inspection rating; 10/27/2010: 95: critical violation corrected, all other violations remain the same.

Facility name: Nelson County High Concessions

Score: 86 f/u 100

Facility address: 1070 Bloomfield Road, Bardstown, KY 40004

Date of inspection: 10/13/2010

Inspection type: Regular

Violations:

Thermometers missing in both football and basketball refrigerators; *inside ice machines both football and basketball has build up; *pipe broken beneath 3 compartment sink, water going on floor in football concession; some lights out in football concession area; *Paint cans and driveway melt stored beneath 3 compartment sink in basketball concessions. Follow up food service inspection rating; 10/27/10; 100: All violations corrected.

Facility name: Xavier's Restaurant

Score: 91 f/u 97

Facility address: 112 N. 5th Street, Bardstown, KY 40004

Date of inspection: 10/13/2010

Inspection type: Regular

Violations:

*All products need dates that are prepared in the store; hand sinks need signage; inside of salad and prep coolers unclean, some broken shelving in coolers. Many cutting surfaces not routinely sanitized and many uncleanable areas. Build up on outsides of the microwave; dish bins showing wear. Follow up food service inspection rating; 10/27/10; 97: hand sink signs needed; coolers need gasket repair. All other violations corrected.

Facility name: Nelson County High Cafeteria

Score: 100

Facility address: 1070 Bloomfield Road, Bardstown, KY 40004

Date of inspection: 10/27/2010

Inspection type: Regular

Violations:

No noted violations.

Facility name: Windsor Gardens

Score: 100

Facility address: 101 Isaac Court, Bardstown, KY 40004

Date of inspection: 10/27/2010

Inspection type: Regular

Violations:

No noted violations.

Facility name: Chapeze House **Score:** 98
Facility address: 107 E. Stephen foster, Bardstown, KY 40004
Date of inspection: 10/27/2010
Inspection type: Regular
Violations:
No hand sink sign.

Facility name: Papa John's **Score:** 98
Facility address: 996 Chambers Blvd, Bardstown, KY 40004
Date of inspection: 10/27/2010
Inspection type: Regular
Violations:
dumpster lids broken.

Facility name: Moby Dick **Score:** 94
Facility address: 211 W. Stephen Foster, Bardstown, KY 40004
Date of inspection: 10/27/2010
Inspection type: Regular
Violations:
Ice scoop at drink station not stored with handle out; counter space underneath microwave unclean; floors under equipment and around baseboards unclean; test strips missing for sanitizers.

Facility name: New Haven Pizza Shoppe **Score:** 86 f/u 100
Facility address: 137 S. Main Street, New Haven, KY 40051
Date of inspection: 8/25/2010
Inspection type: Regular
Violations:
*open containers of food not properly date marker; refrigeration unit does not maintain 41 degrees; shelving, etc. needs wiping down; ice accumulation in freezer; *reach-in cooler has some build up; wiping cloths lying around; miscellaneous items around kitchen. Follow up food service inspection; 10/28/10; 100: all violations corrected.

Facility name: Botland Value Plus **Score:** 90 f/u 100

Facility address: 5201 Springfield Road, Bardstown, KY 40004
Date of inspection: 9/29/2010
Inspection type: Regular

Violations:

Thermometers needed in both walk-in cooler and freezer; some food product stored on floor of walk-in cooler;
*final inspection pending on septic system, pump and alarm check; door not self-closing in restroom. Follow up food service inspection rating; 10/08/2010; 100: all violations corrected.

Facility name: El Camino **Score:** 86 f/u 98

Facility address: 895 Pennsylvania Avenue, Bardstown, KY 40004

Date of inspection: 10/26/2010

Inspection type: Regular

Violations:

*Not all items correctly date marked; *cooling records not correct. Food not cooled to 70 degrees in 2 hours;
*Person in charge not aware of 2005 code updates; Many items uncovered in the walk in; prep items needs additional ice in the hold area. Follow up food inspection; 11/03/10; 98: Critical violations corrected. Prep items stored incorrectly.

Facility name: Busy Bee Chevron- Food Service **Score:** 100

Facility address: 1141 N. 3rd Street, Bardstown, KY 40004

Date of inspection: 11/3/2010

Inspection type: Regular

Violations:

No noted violations.

Facility name: Busy Bee Chevron- Retail **Score:** 100

Facility address: 1141 N. 3rd Street, Bardstown, KY 40004

Date of inspection: 11/3/2010

Inspection type: Regular

Violations:

No noted violations.

Facility name: Joe's Place- Food Service **Score:** 95 f/u 99

Facility address: 5055 Nelsonville Road, Boston, KY 40107

Date of inspection: 10/29/2010

Inspection type: Regular

Violations:

*Some lunch meat not dated (corrected immediately).

Facility name: Joe's Place- Retail **Score:**

100

Facility address: 5055 Nelsonville Road, Boston, KY 40107
Date of inspection: 10/29/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: John Rowan Five Star- Food **Score:**

99

Facility address: 207 W. John Rowan Blvd., Bardstown, KY 40004
Date of inspection: 11/3/2010
Inspection type: Regular
Violations:
Under cabinets has some spillage.

Facility name: John Rowan Five Star- Retail **Score:**

100

Facility address: 207 W. John Rowan Blvd., Bardstown, KY 40004
Date of inspection: 11/3/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Phyllo's Cakes and Catering **Score:**

100

Facility address: 4621 Springfield Road, Bardstown, KY 40004
Date of inspection: 11/3/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Botland Value Plus **Score:** 90 /u 100
Facility address: 5201 Springfield Road, Bardstown, KY 40004
Date of inspection: 9/29/2010
Inspection type: Regular

Violations:

Thermometers needed in both walk-in cooler and freezer; some food product stored on floor of walk-in cooler;
*Final inspection pending on septic system pump and alarm check; door not self closing on restroom. Follow up inspection rating; 10/08/2010; 100: All violations corrected.

Facility name: Sherwood Inn **Score:** 94
Facility address: 138 S. Main St., Bardstown, KY 40004
Date of inspection: 10/28/2010
Inspection type: Regular

Violations:

Leak from condensation dripping into food product in walk-in cooler; handle on microwave ins disrepair; condensation line leak in walk-in cooler; some shelving for dishware unclean; floor beneath equipment unclean; paint chipping on wall next to ovens.

Facility name: Rosemark Haven **Score:** 100
Facility address: 714 N. 3rd Street, Bardstown, KY 40004
Date of inspection: 10/28/2010
Inspection type: Regular

Violations:

No noted violations.

Facility name: Grape Garden **Score:** 87
Facility address: 1875 New Haven Road, Bardstown, KY 40004
Date of inspection: 10/28/2010
Inspection type: Regular

Violations:

walk-in cooler maintaining 45 degrees; some food product on floor of storage room; 3 compartment sink unclean; equipment needs wiping down before use; styrofoam cups stored on floor in storage room; utensils stored uncovered; no lid on waste can in women's room; no sign at hand sink; water on floor of walk-in cooler; some miscellaneous items stored in kitchen and beverage room.

Facility name: David's Lounge **Score:** 97
Facility address: 1624 Bloomfield Road, Bardstown, KY 40004
Date of inspection: 10/29/2010
Inspection type: Regular

Violations:

sign needed at hand sink; tiles missing at back service door.

Facility name: Penn Station **Score:** 89 f/u 98
Facility address: 100 W. John Rowan, Bardstown, KY 40004
Date of inspection: 10/25/2010
Inspection type: Regular

Violations:

*Deli meats not date marked; prep cooler not operating correctly; *improper hand washing. Follow up food service inspection; 11/05/2010; 98: Prep cooler not operating correctly; all other violations corrected.

Facility name: Kinsmen Five Star Food Mart **Score:** 92 f/u 96
Facility address: 610 Bloomfield Road, Bardstown, KY 40004
Date of inspection: 11/2/2010
Inspection type: Regular

Violations:

*Ice machine not sanitized and clean; no hand wash sign; back door knob has hole. Follow up food service inspection; 11/5/10; 96: no hand wash sign; outer opening at back door knob; critical violation corrected.

Facility name: White's Auction **Score:** 100
Facility address: 135 Fairfield Road, Bloomfield, KY 40008
Date of inspection: 11/5/2010
Inspection type: Regular

Violations:

No noted violations.

Facility name: Kroger- Food Service **Score:** 97
Facility address: 102 W. John Rowan, Bardstown, KY 40004
Date of inspection: 11/3/2010
Inspection type: Regular

Violations:

Additional cleaning of deli door tracks and slicer areas; gauge on dish machine not working well.

Facility name: Kroger - Retail **Score:**

100

Facility address: 102 W. John Rowan, Bardstown, KY 40004
Date of inspection: 11/3/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: High Grove Grocery- Food **Score:**

100

Facility address: 12780 Louisville Road, Cox's Creek, KY 40013
Date of inspection: 11/8/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: High Grove Grocery- Retail **Score:**

100

Facility address: 12780 Louisville Road, Cox's Creek, KY 40013
Date of inspection: 11/8/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Country Gardens **Score:**

93

Facility address: 706 Bloomfield Road, Bardstown, KY 40004
Date of inspection: 11/8/2010
Inspection type: Regular
Violations:
Couple of boxes of produce not stored off floor; hand towels missing from hand sink; no hand sink sign at hand sink station; dumpster lids missing; some lights missing end caps.

Facility name: Quizno's **Score:**

100

Facility address: 129 W. John Rowan, Bardstown, KY 40004
Date of inspection: 11/8/2010
Inspection type: Regular

Violations:

No noted violations.

Facility name: Five Star New Haven- food **Score:** 95
Facility address: 150 Main Street, New Haven, KY 40051
Date of inspection: 11/9/2010
Inspection type: Regular

Violations:

No hair restraints worn during food prep; drink nozzles have some spillage; dumpster lids open.

Facility name: Five Star New Haven- Retail **Score:** 98
Facility address: 150 Main Street, New Haven, KY 40051
Date of inspection: 11/9/2010
Inspection type: Regular

Violations:

dumpster lids open.

Facility name: M&M Get and Go- Food **Score:** 90 f/u 94
Facility address: 5707 New Haven Road, Bardstown, KY 40004
Date of inspection: 11/4/2010
Inspection type: Regular

Violations:

Container not labeled; *couple of coolers not sanitized; wiping cloths laying around; couple of coolers have build-up, build-up around microwave inside and out; singer service items improperly stored; floors, especially around baseboards and behind equipment have build-up; walls have splatter. Follow up food service inspection rating; 11/9/2010; 94: Critical violation corrected; container not labeled; wiping cloths lying around; microwave unclean; single service items improperly stored; floors, especially around baseboards; walls have splatter.

Facility name: M&M Get and Go- Food **Score:** 100
Facility address: 5707 New Haven Road, Bardstown, KY 40004
Date of inspection: 11/4/2010
Inspection type: Regular

Violations:

No noted violations.

Facility name: Wal-Mart- Food Service **Score:** 100
Facility address: 3795 W. John Rowan, Bardstown, KY 40004
Date of inspection: 11/9/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Wal-Mart- Retail **Score:** 98
Facility address: 3795 W. John Rowan, Bardstown, KY 40004
Date of inspection: 11/9/2010
Inspection type: Regular
Violations:
Couple of boxes of product not elevated off floor in meat room section.

Facility name: Rosie's Food Mart- Food **Score:** 92 f/u 96
Facility address: 1085 Bloomfield Road, Bardstown, KY 40004
Date of inspection: 11/9/2010
Inspection type: Regular
Violations:
*one package of meat past 7 day mark (corrected immediately); microwave and freezer has some spillage; dumpster lids open; hood vents have dust build-up, walls have splatter.

Facility name: Rosie's Food Mart- Retail **Score:** 97
Facility address: 1085 Bloomfield Road, Bardstown, KY 40004
Date of inspection: 11/9/2010
Inspection type: Regular
Violations:
Some cabinets under drink area unclean; dumpster lids open.